



海运 By Sea



中国认可
检验
INSPECTION
CNAS IB0279

报告编号(Report ID): MRI2Q34G5005877U1

2024年1月1日生效

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

非限制性货物 Non-restricted Goods

样品名称及型号
(Sample Name &
Model)

可充式锂离子电池 型号: ICR18650 /26V
Rechargeable Li-ion Cell Model: ICR18650 /26V
3.6V 2550mAh 9.18Wh

委托单位
(Applicant)

惠州亿纬锂能股份有限公司
EVE Energy Co., Ltd.

生产单位
(Manufacturer)

荆门亿纬创能锂电池有限公司
EVE Innovation Energy Co.,Ltd.

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com



No.: MRI2Q34G5005877U1
Code: mHEvx11

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内向本单位书面提出复测申请，同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report, with the original report attached and the retesting fee prepaid.
4. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
5. 委托单位必须保证送至本公司的样品及资料与真实的运出货物相一致，如有不符，所涉及的法律及其他后果均由委托单位自行承担。
The client must guarantee that samples and documents provided for appraisal are consistent with the goods to be transported. Otherwise, the client shall bear all legal responsibilities and other consequences due to it.
6. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
7. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
8. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
9. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.
10. 本报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.

▲ 防伪说明：

1. 报告编号是唯一的；
The report number is unique.
 2. 扫描报告首页下方二维码或登录网站(<http://www.ponytest.com/>)，即可查询报告真伪。
Scan the QR code below the first page or Log on to the website(<http://www.ponytest.com/>) to check the authenticity of the report.
- *****

 **全国服务热线**
400-819-5688
WWW.PONYTEST.COM



| | | | |
|--------------------------|-----------------------------|--------------------------|-------------------------------|
| 北京实验室：(010) 83055000 | 郑州实验室：(0371) 69350670 | 成都谱尼计量实验室：(028) 87702708 | 宁波实验室：(0574) 87736499 |
| 北京谱尼科技公司：(010) 80415661 | 郑州谱尼职业卫生公司：(0371) 80967099 | 贵州实验室：(0851) 85221000 | 合肥实验室：(0551) 63843474 |
| 北京谱尼计量实验室：(010) 82492998 | 新疆实验室：(0991) 6684186 | 上海实验室：(021) 64851999 | 深圳实验室：(0755) 26050909 |
| 青岛实验室：(0532) 88706866 | 石家庄实验室：(0311) 85376660 | 苏州实验室：(0512) 62997900 | 深圳谱尼计量实验室：(0755) 26050909-846 |
| 天津实验室：(022) 23607888 | 西安实验室：(029) 89608785 | 苏州汽车座椅实验室及儿童安全座椅 | 谱尼深圳通测：(0755) 27673339 |
| 长春实验室：(0431) 80530198 | 西安创尼信息科技有限公司：(029) 81123093 | 碰撞实验室：(0512) 62997900 | 广州实验室：(020) 89224310 |
| 沈阳实验室：(024) 22811886 | 西安查德威克福射技术公司：(029) 85729073 | 武汉实验室：(027) 83997127 | 南宁实验室：(0771) 5518818 |
| 大连实验室：(0411) 87336618 | 呼和浩特实验室：(0471) 3450025 | 武汉车附所：(027) 82318175 | 厦门实验室：(0592) 5568048 |
| 哈尔滨实验室：(0451) 58627755 | 成都实验室：(028) 87702708 | 杭州实验室：(0571) 87219096 | |

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

| | | | |
|--|--|-----------------------------------|------------|
| 样品名称及型号 Sample Name & Model | 可充式锂离子电芯 型号: ICR18650 /26V 3.6V 2550mAh 9.18Wh | | |
| | Rechargeable Li-ion Cell Model: ICR18650 /26V 3.6V 2550mAh 9.18Wh | | |
| 委托单位 Applicant | 惠州亿纬锂能股份有限公司 | | |
| | EVE Energy Co., Ltd. | | |
| 生产单位 Manufacturer | 荆门亿纬创能锂电池有限公司 | | |
| | EVE Innovation Energy Co.,Ltd. | | |
| 检验方法、程序 Inspection method and procedure | 国际海事组织《国际海运危险货物规则》(2022版) (Amendment 41-22) IMO International Maritime Dangerous Goods Code (2022Edition) (Amendment 41-22) | | |
| 电池信息 Battery information | 电池种类/Battery type | 锂离子电池芯 Lithium ion cell | |
| | 型号规格/Model | ICR18650 /26V 3.6V 2550mAh 9.18Wh | |
| | 外观/Appearance | 蓝色/ Blue 65.3mm×18.2mm | |
| 包装件信息 Package information | 尺寸/Size | 411mm(L)×216mm(W)×82mm(H) | |
| | 毛重/Gross weight | 9.64kg | |
| | 电池个数/Battery number | 200pcs | |
| | 放置方式/Placement | 只有电池/Battery only | |
| 鉴定结果 Identification conclusion | 1. 危险性识别 (Hazard identification) 锂离子电池芯 Lithium ion cell 2. 按照国际海事组织《国际海运危险货物规则》办理类项 (Suggestion according to IMO IMDG Code) 根据特殊规定 188, 该物品不受 IMO IMDG Code 其他规定限制。 The goods are not subject to other provisions of IMO IMDG Code according to special provision 188. 3. 包装要求 (Packaging requirements) 普通包装。 Not restricted in IMO IMDG Code. | | |
| 检验日期 Inspection date | 2023-11-29 ~ 2023-12-06 | 签发日期 Issue Date | 2023-12-06 |
| 备注 Comment | 本报告有效期至 2024 年 12 月 31 日。 The report is valid until December 31, 2024. | | |

主检人 : 刘旭
(Appraiser)

审核人 : 杨晶晶
(Checker)

批准人 : 郑春柄
(Approver)



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

| 序号 No. | 检验结果及其他事项 Inspection results and other things |
|-----------|--|
| 1 | <p>客户声明 Consignor announcement:</p> <p>a. 本报告所述锂电池不属于损坏或有缺陷的锂电池。 Lithium cells and batteries listed in this report are not identified as being damaged or defective.</p> <p>b. 本报告所述锂电池不属于以处置或回收为目的的运输。 Lithium cells and batteries listed in this report are not be transported for disposal or recycling.</p> <p>c. 本报告所述锂电池按照《国际海运危险货物规则》2.9.4.5 规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG Code 2.9.4.5.</p> |
| 2 | <p>a. 本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求。(报告编号: MRIV4S7G2954747U5) Lithium cells and batteries listed in this report are of the types proven to meet the requirement of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. (Report No.: MRIV4S7G2954747U5)</p> <p>b. 电池或电池组的制造商和代理商已提供《试验和标准手册》第三部分第 38.3 小节第 38.3.5 段规定的测试概要。见(报告编号: MRIV4S7G2954757U4) Manufacturers and subsequent distributors of cells or batteries have provided the test summary as specified in the UN Manual of Tests and Criteria, Part III, sub-section 38.3, paragraph 38.3.5. see (Report No.:MRIV4S7G2954757U4)</p> <p>c. 包装件能够承受 1.2 米跌落试验。(报告编号: MRIV4S7G2954787U6) The package has passed the 1.2m drop test. (Report No.:MRIV4S7G2954787U6)</p> |
| 3 | <p>a. 锂电池芯或电池组装在完全封闭的内包装中, 再装入坚固的外包装。外包装需符合 4.1.1.1、4.1.1.2 和 4.1.1.5 规定。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in strong outer packagings which conform to the provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.5.</p> |
| 4 | <p>a. 电池具有适当的防短路措施。这包括在同一包装件内防止与导电材料接触而导致短路。 Cells and batteries are properly protected to prevent short circuits. This includes protection against contact with electrically conductive materials within the same packaging that could lead to a short circuit.</p> |
| 5 | <p>a. 每个包装件应贴锂电池标记, 见 5.2.1.10。 Each package shall be marked with the appropriate lithium battery mark, see 5.2.1.10.</p> |
| 6 | <p>a. 每个包装件毛重不得超过 30 千克。 Each package shall not exceed 30 kg gross mass.</p> |



样品图片 (Photo of the Sample) :

电池 Battery

样品编号 / Sample No.: G5005877U1



包装件 Package



仅对原报告照片中的样品负责
Authenticate the photo on original report only
***报告结束 End of report ***