



报告编号(Report ID): MRI2Q34G5005867U1



中国认可
检验
INSPECTION
CNAS IB0279

2024年1月1日生效

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

危险品 Dangerous Goods

样品名称及型号
(Sample Name &
Model)

可充式锂离子电池 型号: ICR18650 /26V
Rechargeable Li-ion Cell Model: ICR18650 /26V
3.6V 2550mAh 9.18Wh

委托单位
(Applicant)

惠州亿纬锂能股份有限公司
EVE Energy Co., Ltd.

生产单位
(Manufacturer)

荆门亿纬创能锂电池有限公司
EVE Innovation Energy Co.,Ltd.

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com



No.: MRI2Q34G5005867U1
Code: Fwe10

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内向本单位书面提出复测申请，同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report, with the original report attached and the retesting fee prepaid.
4. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
5. 委托单位必须保证送至本公司的样品及资料与真实的运出货物相一致，如有不符，所涉及的法律及其他后果均由委托单位自行承担。
The client must guarantee that samples and documents provided for appraisal are consistent with the goods to be transported. Otherwise, the client shall bear all legal responsibilities and other consequences due to it.
6. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
7. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
8. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
9. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.
10. 本报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.

▲ 防伪说明：

1. 报告编号是唯一的；
The report number is unique.
 2. 扫描报告首页下方二维码或登录网站(<http://www.ponytest.com/>)，即可查询报告真伪。
Scan the QR code below the first page or Log on to the website(<http://www.ponytest.com/>) to check the authenticity of the report.
- *****

 **全国服务热线**
400-819-5688
WWW.PONYTEST.COM



北京实验室：(010) 83055000 郑州实验室：(0371) 69350670 成都谱尼计量实验室：(028) 87702708 宁波实验室：(0574) 87736499
北京谱尼科技公司：(010) 80415661 郑州谱尼职业卫生公司：(0371) 80967099 贵州实验室：(0851) 85221000 合肥实验室：(0551) 63843474
北京谱尼计量实验室：(010) 82492998 新疆实验室：(0991) 6684186 上海实验室：(021) 64851999 深圳实验室：(0755) 26050909
青岛实验室：(0532) 88706866 石家庄实验室：(0311) 85376660 苏州实验室：(0512) 62997900 深圳谱尼计量实验室：(0755) 26050909-846
天津实验室：(022) 23607888 西安实验室：(029) 89608785 苏州汽车座椅实验室及儿童安全座椅 谱尼深圳通测：(0755) 27673339
长春实验室：(0431) 80530198 西安创尼信息科技有限公司：(029) 81123093 碰撞实验室：(0512) 62997900 广州实验室：(020) 89224310
沈阳实验室：(024) 22811886 西安查德威克福射技术公司：(029) 85729073 武汉实验室：(027) 83997127 南宁实验室：(0771) 5518818
大连实验室：(0411) 87336618 呼和浩特实验室：(0471) 3450025 武汉车附所：(027) 82318175 厦门实验室：(0592) 5568048
哈尔滨实验室：(0451) 58627755 成都实验室：(028) 87702708 杭州实验室：(0571) 87219096

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

样品名称及型号 Sample Name & Model	可充式锂离子电芯 型号: ICR18650 /26V 3.6V 2550mAh 9.18Wh		
	Rechargeable Li-ion Cell Model: ICR18650 /26V 3.6V 2550mAh 9.18Wh		
委托单位 Applicant	惠州亿纬锂能股份有限公司		
	EVE Energy Co., Ltd.		
生产单位 Manufacturer	荆门亿纬创能锂电池有限公司		
	EVE Innovation Energy Co.,Ltd.		
件数 Pieces	注:本栏内容为托运人或其代理人在使用本报告书时候填写的运输信息,不属于鉴定内容。运输信息与报告书的关联性以及实际运输货物与报告书的一致性由托运人或其代理人保证,如发生任何不一致由托运人或其代理人承担全部责任。 (请认真填写本栏内容,并盖章) 负责人: 联系方式:		
运单号 Air waybill No.			
检验方法、程序 Inspection method and procedure	国际航空运输协会《危险品规则》(65版); IATA Dangerous Goods Regulations (DGR) 65 th Edition		
电池信息 Battery information	电池种类/Battery type	锂离子电池芯 Lithium ion cell	
	型号规格/Model	ICR18650 /26V 3.6V 2550mAh 9.18Wh	
	外观/Appearance	蓝色/ Blue 65.3mm×18.2mm	
包装件信息 Package information	尺寸/Size	350mm(L)×280mm(W)×270mm(H)	
	电池净重/Battery net weight	8.92kg	
	电池个数/Battery number	200pcs	
	放置方式/ Placement	只有电池/Battery only	
鉴定结果 Identification conclusion	1. 危险性识别 (Hazard identification) 杂项。Miscellaneous. 2. 按照国际航空运输协会《危险品规则》办理类项 (Suggestion according to IATA DGR) Shipping name: Lithium ion batteries Class or division: 9 UN Number: UN3480 该物品满足包装说明 965 第 IB 部分。 The goods are in compliance with the packaging instruction 965 section IB. 3. 包装要求 (Packaging requirements) 根据包装说明 965 第 IB 部分办理。仅限货机。 The goods are packaged according to the packaging instruction 965 section IB. Cargo Aircraft Only.		
检验日期 Inspection date	2023-11-29 ~ 2023-12-06	签发日期 Issue Date	2023-12-06
备注 Comment	本报告有效期至 2024 年 12 月 31 日 The report is valid until December 31, 2024.		

主检人 : 刘旭
(Appraiser)

审核人 : 杨晶晶
(Checker)

批准人 : 郑春标
(Approver)



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>客户声明 Consignor announcement:</p> <p>a. 本报告所述锂电池不属于因安全原因被制造商召回的锂电池，或运输前不能预先判断为损坏或有缺陷的锂电池。 Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacture for safety reasons or cannot be diagnosed as damaged or defective prior to transport.</p> <p>b. 本报告所述锂电池不进行以回收或处置为目的的航空运输，不属于废弃锂电池。 Lithium cells and batteries listed in this report are not waste lithium cells and batteries, and they will not be shipped for recycling or disposal.</p> <p>c. 本报告所述锂电池按照《危险品规则》3.9.2.6.1(e)规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in DGR 3.9.2.6.1(e).</p> <p>d. 提交运输的锂离子电池芯和电池荷电状态(SoC)不超过其额定容量的 30%。 Lithium ion cells and batteries must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.</p>
2	<p>a. 本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求。(报告编号: MRIV4S7G2954747U5) Lithium cells and batteries listed in this report are of the types proven to meet the requirement of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. (Report No.: MRIV4S7G2954747U5)</p> <p>b. 电池或电池组的制造商和代理商已提供《试验和标准手册》第三部分第 38.3 小节第 38.3.5 段规定的测试概要。见(报告编号: MRIV4S7G2954757U4) Manufacturers and subsequent distributors of cells or batteries have provided the test summary as specified in the UN Manual of Tests and Criteria, Part III, sub-section 38.3, paragraph 38.3.5. see (Report No.:MRIV4S7G2954757U4)</p> <p>c. 包装件能够承受 1.2 米跌落试验。(报告编号: MRIV4S7G2954767U6) The package has passed the 1.2m drop test. (Report No.:MRIV4S7G2954767U6)</p> <p>d. 包装件能够承受 3 米堆码试验。(报告编号: MRIV4S7G2954777U6) The package has passed the 3m stacking test. (Report No.:MRIV4S7G2954777U6)</p>
3	<p>a. 电池具有适当的防短路措施。这包括在同一包装件内防止与导电材料接触而导致短路。 Cells and batteries are properly protected to prevent short circuits. This includes protection against contact with electrically conductive materials within the same packaging that could lead to a short circuit.</p>



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

序号 No.	检验结果及其他事项 Inspection results and other things
4	<p>a. 电池芯和电池必须包装在完全封闭的内包装中，然后放入符合 5.0.2.4, 5.0.2.6.1 和 5.0.2.12.1 的坚固的刚性外包装中。 Cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging which conform to the provisions of 5.0.2.4, 5.0.2.6.1 and 5.0.2.12.1.</p> <p>b. 电池芯和电池禁止与第 1 类（除 1.4S）、2.1 项、第 3 类、4.1 项或 5.1 项危险品放入同一外包装。 Cells and batteries must not be packed in the same outer packaging with other dangerous goods classified in Class 1 other than Division 1.4S, Division 2.1, Class 3, Division 4.1 or Division 5.1.</p> <p>c. 电池芯和电池包装件禁止与第 1 类（除 1.4S）、2.1 项、第 3 类、4.1 项或 5.1 项危险品放入同一集合包装。 Packages containing cells or batteries must not be placed in an overpack with packages containing dangerous goods classified in Class 1 other than Division 1.4S, Division 2.1, Class 3, Division 4.1 or Division 5.1.</p>
5	<p>a. 按本规则 IB 部分托运的电池必须根据第 8 部分规定在托运人申报单中描述;并且当使用航空货运单时,货运单必须包含 8.2.1 和 8.2.2 中相关适用要求。 Cells or batteries shipped under the provisions of Section IB must be described on a Shipper's Declaration as set out in Section 8 and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.</p>
6	<p>a. 每个包装件除应贴有第 9 类锂电池危险性标签（图 7.3.X）和仅限货机标签（图 7.4.B）外，还必须按 DGR 7.1.5.5 要求耐久和清晰地锂电池标记（图 7.1.C）。每个包装件必须依据 7.1.4.1(a)和 (b) 的要求标记，此外当需要时，根据 7.1.4.1(c)的要求将净重标注在包装件上。 Each package must be durably and legibly marked with the lithium battery mark (Figure 7.1.C) as required by DGR 7.1.5.5 in addition to the Class 9- Lithium Battery hazard label (Figure 7.3.X) and the cargo aircraft only label (Figure 7.4.B). Each package must be marked in accordance with the requirements of 7.1.4.1(a). and (b) and in addition the net weight when required by 7.1.4.1 (c) must be marked on the package.</p>
7	<p>a. 锂电池指南文件可在以下链接获得- https://www.iata.org/lithiumbatteries。 A lithium battery guidance document is available at the following link - https://www.iata.org/lithiumbatteries</p>



样品图片 (Photo of the Sample) :

电池 Battery

样品编号 / Sample No.: G5005867U1



包装件 Package



仅对原报告照片中的样品负责
Authenticate the photo on original report only
***报告结束 End of report ***